



Opinion Piece



Cite this article: Rault J-L *et al.* 2025 A consensus on the definition of positive animal welfare. *Biol. Lett.* **21**: 20240382.

<https://doi.org/10.1098/rsbl.2024.0382>

Received: 4 July 2024

Accepted: 4 December 2024

Subject Category:

Animal behaviour

Subject Areas:

behaviour, cognition, evolution

Keywords:

animal emotion, flourishing, good life, good welfare, happiness, pleasure

Author for correspondence:

Jean-Loup Rault

e-mail: jean-loup.rault@vetmeduni.ac.at

A consensus on the definition of positive animal welfare

Jean-Loup Rault¹, Melissa Bateson², Alain Boissy³, Björn Forkman⁴, Bjørn Grinde⁵, Lorenz Gygax⁶, Jes Lynning Harfeld⁷, Sara Hintze⁸, Linda J. Keeling⁹, Lubor Kostal¹⁰, Alistair B. Lawrence^{11,12}, Michael T. Mendl¹³, Mara Miele¹⁴, Ruth C. Newberry¹⁵, Peter Sandøe¹⁶, Marek Špinka¹⁷, Alex H. Taylor^{18,19,20}, Laura E. Webb²¹, Laura Whalin²² and Margit Bak Jensen²³

¹Institute of Animal Welfare Science, University of Veterinary Medicine Vienna, Vienna, Austria

²Biosciences Institute, Newcastle University, Newcastle upon Tyne, UK

³Herbivores, Université Clermont Auvergne, INRAE, VetAgro Sup, Saint-Genès-Champanelle, France

⁴Department of Veterinary and Animal Sciences, University of Copenhagen, Frederiksberg, Denmark

⁵University of Oslo, Oslo, Norway

⁶Animal Husbandry & Ethology, Albrecht Daniel Thaer-Institute of Agricultural and Horticultural Sciences, Faculty of Life Sciences, Humboldt-Universität zu Berlin, Berlin, Germany

⁷Department of Culture and Learning, Aalborg University, Aalborg, Denmark

⁸Department of Sustainable Agricultural Systems, BOKU University, Vienna, Austria

⁹Department of Applied Animal Science and Welfare, Swedish University of Agricultural Sciences, Uppsala, Sweden

¹⁰Centre of Biosciences, Slovak Academy of Sciences, Bratislava, Slovakia

¹¹Scotland's Rural College (SRUC), Edinburgh, UK

¹²The Roslin Institute, Easter Bush Campus, Midlothian, UK

¹³Animal Welfare and Behaviour Group, Bristol Veterinary School, University of Bristol, Langford, UK

¹⁴School of Geography and Planning, Cardiff University, Cardiff, UK

¹⁵Department of Animal and Aquacultural Sciences, Faculty of Biosciences, Norwegian University of Life Sciences, Ås, Norway

¹⁶Department of Veterinary and Animal Sciences and Department of Food and Resource Economics, University of Copenhagen, Copenhagen, Denmark

¹⁷Department of Ethology and Companion Animal Science, Faculty of Agrobiology, Food and Natural Resources, Czech University of Life Sciences, Prague, Czechia

¹⁸CREA, Barcelona, Spain

¹⁹Institut de Neurociències, Universitat Autònoma de Barcelona, Barcelona, Spain

²⁰School of Biological Sciences, University of Canterbury, Christchurch, New Zealand

²¹Animal Production Systems group, Department of Animal Sciences, Wageningen University and Research, Wageningen, The Netherlands

²²The Norwegian Veterinary Institute, Ås, Norway

²³Department of Animal and Veterinary Sciences, Aarhus University, Tjele, Denmark

J-LR, 0000-0001-6015-8318; MTM, 0000-0002-5302-1871; AHT, 0000-0003-3492-7667

The concept of animal welfare is evolving due to progress in our scientific understanding of animal biology and changing societal expectations. Animal welfare science has been primarily concerned with minimizing suffering, but there is growing interest in also promoting positive experiences, grouped under the term positive animal welfare (PAW). However, there are discrepancies in the use of the term PAW. An interdisciplinary group arrived at a consensus that 'PAW can be defined as the animal flourishing through the experience of predominantly positive mental states and the development of competence and resilience. PAW goes beyond ensuring good physical health and the prevention and alleviation of suffering. It encompasses animals experiencing positive mental states resulting from rewarding experiences, including having choices and opportunities to actively pursue goals and achieve desired outcomes'.

The definition also considers individual and species-specific differences. It provides a framework for researchers to investigate PAW and thereby generate innovative, informative and reproducible science. Studies of PAW can contribute to a richer picture of an animal's life and may elucidate the biological foundations of happiness. The definition creates opportunities to inspire scientific progress in animal biology and to align animal care practices, legislation and markets with societal expectations.

1. Background

Animal lives are characterized by both positive (e.g. pleasant or rewarding) and negative (e.g. unpleasant or aversive) experiences. Whilst minimizing negative experiences and associated harms may be the more urgent and prioritized response of animals, positive experiences and their associated benefits are likely to be crucial for their welfare.

Since the emergence of modern animal welfare science, the primary focus has been on the minimization of suffering linked to negative experiences such as pain, fear and distress. Indeed, scientific evidence that an animal species has the capacity to feel pain or fear has driven changes in animal welfare legislation (e.g. fish: [1]; cephalopods and decapods: [2]). Nonetheless, minimizing suffering is insufficient to promote animal welfare because an absence of suffering does not mean that all the proclivities of an animal are being fulfilled, and in particular it overlooks the potential benefits of positive experiences in life [3–6].

The view that positive experiences are important to an animal probably aligns with how most members of the public conceptualize animal welfare. Lay people generally associate animal welfare with the provision of opportunities for positive experiences, in addition to presupposing that animals should not experience pain or suffering [7,8]. Animal-based industries recognize these consumer expectations, and commercial labels advertise products from ‘happy animals’ or from animals given a ‘good life’ (e.g. laying hens: [9], sheep: [10], dogs: [11], dairy cattle: [12]). However, science-based evidence is needed to validate these claims [13].

The emerging concept of positive animal welfare (PAW) places an explicit focus on positive aspects of animal lives. The concept of PAW offers opportunities to improve animal welfare through a better understanding of situations and mechanisms leading to positive experiences and their short- and long-term benefits to animals. However, PAW lacks an explicit scientific definition, having been used to refer to phenomena ranging from positive emotions and engagement with the environment to a good life and overall happiness in animals (reviewed in [14,15]). As a result, the topic of PAW consists of a variety of concepts and ideas emerging from different fields including behavioural biology, evolutionary biology, cognition, neuroscience, psychology, ethics and philosophy.

Despite the intuitive appeal of this concept, the lack of a definition is one factor that may hamper scientific progress in this area. A clear definition of PAW would safeguard against the dilution of its meaning, which could jeopardize its usefulness, as has been seen in other areas of science. For example, 43 discrete definitions of empathy have been identified [16], and this inconsistency in definition has compromised the comparability of studies, led to mismatches between research and treatment and education programmes and resulted in variable therapeutic effectiveness. A consensus on the definition would help to develop consistent scientific approaches that advance our understanding of PAW.

2. A definition of positive animal welfare

A scientific network entitled ‘Laying the foundations for positive animal welfare’ (LIFT) has been established to advance the scientific understanding of PAW in a cohesive and rigorous manner [17] (<https://LIFTanimalwelfare.eu/>). This network comprises more than 330 scientists from 42 countries. A fundamental goal has been to create shared definitions of key concepts of PAW. As a first step towards this aim, we convened to seek consensus on the definition of PAW as an interdisciplinary working group within LIFT.

The process to establish the definition and reach consensus was as follows. The authors were invited by the first and last authors to participate in a survey about PAW, followed by a 2-day discussion, employing small-group brainstorming, whole-group deliberation and voting to achieve consensus. The group was composed of academic scholars with expertise in biological, animal, biomedical, social science and humanities research and represented individuals actively engaged in research relevant to PAW. The group was gender-balanced and diverse in age and positions (i.e. postdoctoral researchers to professors). All were employed at European academic institutions.

We achieved a consensus definition among ourselves with relevance to non-human animals in homes, farms, laboratories, zoos, and the ‘wild’, but acknowledge that members of other disciplines, cultures, ways of knowing (e.g. [18]), professional occupations or those aiming to use models to better represent non-human animals in democratic decisions (e.g. [19]) could propose different themes for PAW.

This article explains our resulting definition (box 1) which contains important keywords that are expanded upon below.

‘Positive animal welfare is defined as the animal flourishing through the experience of predominantly positive mental states and the development of competence and resilience’.

In humans, *flourishing* is a composite concept that typically includes positive emotions, life satisfaction or happiness, engagement, meaning and purpose or a sense of achievement, fulfilling and supportive social relationships and resilience [20,21]. Flourishing links to mental and physical wellbeing [22,23]. Other authors refer to the achievement of one’s full potential

Box 1. Positive animal welfare definition.

'Positive animal welfare is defined as the animal flourishing through the experience of predominantly positive mental states and the development of competence and resilience. Positive animal welfare goes beyond ensuring good physical health and the prevention and alleviation of suffering. Positive mental states result from rewarding experiences, including having choices and opportunities to actively pursue goals and achieve desired outcomes, according to species-specific and individual capabilities. Genetic, developmental and experiential factors (e.g. pre-natal, early life, environmental) contribute to individual differences in the ability to achieve positive animal welfare. Positive animal welfare can be assessed using animal-based indicators and can be evaluated over different timescales, thereby contributing to the lifetime picture'.

[24]. Animals may experience attributes linked to flourishing such as affective happiness, defined as a long-term state reflective of how an animal feels most of the time [25], flow as a state of complete absorption in an intrinsically rewarding activity [26], and supportive and fulfilling social relationships [27]. Thus, flourishing is an aspirational goal for scientists and animal caretakers to work towards understanding and enabling in animals. Research is needed to identify (likely species-specific) features, scientific methods and valid indicators of flourishing in animals.

Positive mental states are often referred to as positive affective states [28], which comprise both short-term 'emotions' that are elicited by a stimulus or event, and longer-term 'moods' that are dissociated from a specific event [29]. We chose to refer to them under the umbrella term of mental states, encompassing both affective (i.e. valenced) and cognitive processes. As in the fields of human psychology and psychiatry, the study of animals' mental states has tended to focus on the negatives, such as fear, distress and pain, or mood disorders such as clinical depression [30,31]. Nevertheless, interest in searching for and evaluating positive mental states, such as joy and relaxation, has been rising (e.g. [1,4,32–36]). Animals' mental states may be indicated by changes in behaviour, cognition and physiology [37]. For instance, optimistic cognitive judgement biases, hypothesized to reflect positive mental states [38], have been reported across taxa ranging from mammals to eusocial insects [39,40]. In humans, positive emotions are related to self-declared happiness levels [41,42]. We included the adverb *predominantly* in this definition to specify that this state can be interspersed with negative mental states. The way in which positive and negative affective states interact to influence welfare states is an important question that warrants research [43].

Developing competence can be intrinsically rewarding [26,44] and improve an animal's ability to deal with a range of challenges and enhance its capacity to utilize opportunities. Animals may acquire competence through, for example, exploring their surroundings [27], performing play behaviour [45] and practising decision-making [46]. In this process, animals may develop behavioural, cognitive and emotional competences [44], along with physiological and immune competences [47,48], that can be useful in the future. Competence relates to concepts found in the animal literature like agency, which can be broadly defined by the capacity for inner motivated behavioural engagement with the environment [44,49,50], the effectiveness concept that combines motivations leading to desirable outcomes, information gathering and being in control [51], or the dynamic animal welfare concept [52]. Similarly, the broaden-and-build theory in the human literature postulates that positive mental states may encourage individuals to play, explore and learn, thereby building competence [53].

Resilience is commonly defined as an animal's capacity to maintain or regain healthy physical and mental functioning in the face of environmental disturbances [54,55]. This can occur by being minimally encumbered by challenging events (i.e. the magnitude of the response is lowered, also referred to as robustness [56]), or being better able to recover from them (i.e. the duration of the response is shortened). However, resilience should not be used to justify the infliction of pain and other forms of suffering on animals by arguing that a practice is acceptable because resilient animals are less affected by it.

These aspects (positive mental states, competence, resilience) interact in complex ways, and how they each contribute to PAW could be the subject of further research, as has been done in humans (e.g. [57]).

'Positive animal welfare goes beyond ensuring good physical health and the prevention and alleviation of suffering'.

Good physical health is not sufficient for an animal to experience PAW. Though conditions may ensure good physical health for animals, they may deprive them of other aspects important to their welfare. For instance, it may be easier to limit pathogen exposure and physical injuries by keeping animals in barren cages or pens but such spatially and sensorily restrictive environments thwart animals from performing certain behaviours, which can lead to frustration [58–60]. Furthermore, restrictive environments often deprive animals of opportunities to perform behaviours that are suggested to have rewarding properties, such as affiliative social interactions [27] and play behaviour [61]. Where individual or population capabilities are impaired, for example through artificially selected characteristics, the ability to experience PAW may also be hindered [62,63].

We included *beyond [...] the prevention and alleviation of suffering* in the definition because PAW cannot be achieved solely by the absence of negative states such as pain and distress. Though studies have suggested that the reduction or avoidance of a negative stimulus may elicit transient positive mental states (e.g. relief: [64]), contexts and goals related to the removal of suffering does not qualify as PAW, despite being important for welfare improvement. For example, reducing risk factors or providing treatment for lameness may decrease suffering (i.e. minimize the pain), but does not result in PAW.

'Positive mental states result from rewarding experiences, including having choices and opportunities to actively pursue goals and achieve desired outcomes, according to species-specific and individual capabilities'.

Rewarding experiences refer to acquiring or being exposed to resources and situations that stimulate behaviours motivated by wanting or reinforced by liking [65]. These aspects of liking and wanting are important mechanisms for proximate behavioural control [66], relevant to the perspective that it is important to animals to 'have what they want' [67], and developed for instance

in the concept of positive affective engagement [68]. Fraser & Duncan [3] postulated that it is the pleasure inherent in some behaviours that motivates the animal to perform these when the opportunity arises and the cost of doing so is low.

Having choices has been associated with positive changes in animal behaviour and physiology (e.g. [69,70]). *Having opportunities to actively pursue goals and achieve desired outcomes* emphasizes that animals should be offered circumstances enabling them to engage in activities that are intrinsically rewarding to them [26,44,68]. Nevertheless, this may need to be accompanied by a successful result in order to be rewarding [28]. *According to species-specific and individual capabilities* highlight the need to consider differences in species and individual sensory worlds, capacities and needs [71,72]. That is, a situation that can elicit PAW in one species or individual may be ineffective or even detrimental in another.

'Genetic, developmental and experiential factors (e.g. pre-natal, early life, environmental) contribute to individual differences in the ability to achieve positive animal welfare'.

There may be different individual predispositions to experience PAW. *Genetic* differences can play a role. For example, dogs varying in personality and breed can differ in their sociability [73], and rats from anxious strains show reduced social play and pleasure-related ultrasonic vocalizations [74]. Individual differences may also result from *developmental* factors during ontogeny, such as developmental plasticity [75], prenatal stress [76,77], experiences during sensitive periods [78] or epigenetic changes [79]. *Experiential factors* such as previous exposure [80–82], or repeated encounters with negative events, i.e. frequent and/or unpredictable stressors, are risk factors for depression [83] and affect individuals' sensitivity to later events. For example, rats work harder for a preferred sucrose solution after a negative event [84] and animals in a bored state are more responsive to stimulation [85]. Conversely, anhedonia may reduce animals' motivation to engage in an activity or their ability to derive pleasure from it [86]. All these factors, singly or in combination with each other, contribute to *individual differences* that can modulate an animal's willingness to engage in an activity or utilize resources provided to them to experience PAW (e.g. [87,88]).

'Positive animal welfare can be assessed using animal-based indicators and can be evaluated over different timescales, thereby contributing to the lifetime picture'.

Animal-based indicators provide a closer reflection of the animal's PAW state than resource- or management-based indicators [89], although some resource- or management-based indicators can still be predictive of welfare states if they are strongly related to animal-based indicators. A few indicators of PAW have already been proposed [90]. Indicators are often context- and species-specific and require caution on their validity and interpretation [14,15,91].

We mention *different timescales* to reflect that PAW assessment can be conceptualized over different periods, from short-term positive experiences to the longer-term, even lifelong, mosaic of experiences and attributes that allow an individual animal to flourish. The long-term aspect of PAW links it to concepts such as quality of life [92], animal happiness [25] and other assessments of the *lifetime picture* and whether the animal has experienced a good life [93].

3. Implications

There are several reasons why this definition of PAW is important. By outlining a consensus position, this definition provides a framework for focusing and aligning research questions in order to generate innovative, informative and reproducible science in this area. While not yet operational, establishing a conceptual (working) definition at this early stage will be beneficial in guiding research, as has been seen in other fields (e.g. pain: [94] and play behaviour [95]).

PAW offers a different lens through which to understand the lives of animals. Even when aiming for environmental enrichment, a goal seemingly oriented towards enhancing positive animal experiences, results have been primarily measured in terms of reductions in negative outcomes such as injuries, distress and other negative mental states. For instance, the incidence of tail-biting, an abnormal and injurious behaviour in pigs, was reduced by the provision of 20 g of straw per pig per day [96]. However, the time pigs spent rooting and manipulating straw continued to increase when increasing amounts of straw were provided up to approximately 250 g of straw per pig per day, suggesting that this amount was necessary to satisfy the pigs' behavioural need to explore when housed indoors on a concrete floor [97]. Another example is the amount of space dairy calves need when kept in indoor pens. In a recent scientific opinion on calf welfare, EFSA recommends 3 m² per calf to avoid resting problems (i.e. discomfort due to the inability to lie or rest comfortably), but 20 m² per calf to allow the full expression of play behaviour, which is rewarding for the animal [98]. Thus, approaching questions from a positive standpoint can lead to different results, as it turns the question from how to avoid problems to how to satisfy the animals, thereby 'raising the bar' for animal care [91].

This definition is aspirational and progressive, as it incorporates concepts such as flourishing, positive mental states, resilience, competence, choice and active pursuit of goals. It creates an exciting opportunity for researchers to advance our understanding of wellbeing in both humans and non-human animals by developing and integrating methods from both natural and social sciences. In this way, this definition can inspire research leading to new methods for assessing PAW. By catalysing the development of new methods, this definition could stimulate empirical approaches to investigate evolutionary pathways and thereby improve our understanding of the biological foundations of human happiness. This has the potential to impact multiple areas of research, including comparative psychology, behavioural biology, evolutionary biology, animal ethics, consciousness science and philosophy.

The progressive nature of this definition is limited by current scientific methods and empirical evidence. First, we included flourishing despite the lack of clear scientific conceptualization and operational approach (even in humans: [21,99,100]). We consider that this should stimulate scientific research and discussion of this concept rather than discourage the use of this term. Second, the reference to 'experiences' implies sentience, i.e. the capacity to consciously experience positive and negative mental (affective) states including emotions, moods and valenced sensations such as pain and pleasure, and hence to have subjective

'feelings' [101,102]. Though these states are key determinants of an animal's welfare [103], they are inherently subjective and most researchers agree that it is not currently possible to measure them directly [104]. Nevertheless, there is a prevailing scientific opinion that animals of various taxa have the capacity for sentience, i.e. that they can consciously experience negative or positive feelings such as pain or pleasure (e.g. [32,104–107]). Yet, this is contested by some scientists (e.g. [108,109]), pointing out that motivational and affect-like processes can occur without being consciously felt, including in humans [110]. As we still do not know which species are likely to be sentient, we propose that the 'precautionary principle' should be used [111]. If an animal species has the capacity to feel pain, it is difficult to conceive how this species could be devoid of the capacity to experience positive mental states like pleasure [3], and therefore species that currently fall under animal welfare considerations also deserve PAW considerations.

The concept of PAW has the potential to frame and stimulate novel research, thereby contributing to a richer and more complete picture of animal welfare. This definition is complementary to existing definitions of animal welfare (e.g. [112]), yet aligns more closely with the prevailing view of citizens that animals deserve a good life [7,8]. Therefore, at a societal level, this definition creates an opportunity, perhaps even pressure, for animal care practices, legislation and markets to mirror how society expects animals to be kept and treated. This definition provides a starting point and may need to be updated as research progresses based on emerging knowledge, international and interdisciplinary perspectives and input from stakeholders such as animal advocates, indigenous groups and industry representatives. Ultimately, we hope that this definition helps to focus research and inspire scientific progress for the benefit of both animals and humans.

Ethics. This work did not require ethical approval from a human subject or animal welfare committee.

Data accessibility. This article has no additional data.

Declaration of AI use. We have not used AI-assisted technologies in creating this article.

Authors' contributions. J.-L.R.: conceptualization, investigation, methodology, project administration, writing—original draft, writing—review and editing; M.B.: investigation, writing—review and editing; A.B.: investigation, writing—review and editing; B.F.: writing—original draft, writing—review and editing; B.G.: investigation, writing—review and editing; L.G.: investigation, writing—review and editing; J.L.H.: investigation, writing—review and editing; S.H.: investigation, writing—review and editing; L.J.K.: writing—original draft, writing—review and editing; L.K.: investigation, writing—review and editing; A.B.L.: investigation, writing—review and editing; M.T.M.: investigation, writing—review and editing; M.M.: investigation, writing—review and editing; R.C.N.: investigation, writing—review and editing; P.S.: investigation, writing—review and editing; M.S.: investigation, writing—review and editing; A.H.T.: investigation, writing—original draft, writing—review and editing; L.E.W.: conceptualization, funding acquisition, investigation, methodology, writing—original draft, writing—review and editing; L.W.: investigation, methodology, writing—original draft, writing—review and editing; M.B.J.: conceptualization, funding acquisition, investigation, methodology, writing—original draft, writing—review and editing.

All authors gave final approval for publication and agreed to be held accountable for the work performed therein.

Conflict of interest declaration. We declare we have no competing interests.

Funding. The authors acknowledge the financial support by COST (European Cooperation in Science and Technology; www.cost.eu), in the framework of COST Action CA21124 (LIFT: Lifting farm animal lives – laying the foundations for positive animal welfare; <https://LIFTanimalwelfare.eu/>).

References

- European Food Safety Authority (EFSA). 2009 General approach to fish welfare and to the concept of sentience in fish. *EFSA J.* **7**, 954. (doi:10.2903/j.efsa.2009.954)
- Birch J, Burn CC, Schnell A, Browning H, Crump A. 2021 Review of the Evidence of Sentience in Cephalopod Molluscs and Decapod Crustaceans 107.
- Fraser D, Duncan IJH. 1998 'Pleasures', 'Pains' and Animal Welfare: Toward a Natural History of Affect. *Anim. Welf.* **7**, 383–396. (doi:10.1017/s0962728600020935)
- Boissy A *et al.* 2007 Assessment of positive emotions in animals to improve their welfare. *Physiol. Behav.* **92**, 375–397. (doi:10.1016/j.physbeh.2007.02.003)
- Yeates JW, Main DCJ. 2008 Assessment of positive welfare: A review. *Vet. J.* **175**, 293–300. (doi:10.1016/j.tvjl.2007.05.009)
- Balcombe J. 2009 Animal pleasure and its moral significance. *Appl. Anim. Behav. Sci.* **118**, 208–216. (doi:10.1016/j.applanim.2009.02.012)
- Miele M, Veissier I, Evans A, Botreau R. 2011 Animal welfare: establishing a dialogue between science and society. *Anim. Welf.* **20**, 103–117. (doi:10.1017/s0962728600002475)
- Vigors B. 2019 Citizens' and Farmers' Framing of 'Positive Animal Welfare' and the Implications for Framing Positive Welfare in Communication. *Animals* **9**, 147. (doi:10.3390/ani9040147)
- Noble Foods. The Happy Egg Co. See <https://www.noblefoods.co.uk/egg-brands/the-happy-egg-co/> (accessed 19 September 2024).
- Greenbaum J. 2022 Advertising Law Updates. When Do Sheep 'Live the Good Life'? New York, NY: Frankfurt Kurnit Klein & Selz PC. See <https://advertisinglaw.fkks.com/post/102hmyz/when-do-sheep-live-the-good-life> (accessed 19 September 2024).
- Interquell GmbH. Happy Dog - healthy premium pet food. See <https://happydog-petfood.com/>.
- Arla Foods. 2024 Happy cows are healthy cows. A happy cow produces more and better milk. Happy Cows = Healthy Cows = better milk. See <https://www.arla.com/company/farmer-owned/happy-cows-are-healthy-cows/>.
- Miele M. 2011 The Taste of Happiness: Free-Range Chicken. *Environ. Plan. A.* **43**, 2076–2090. (doi:10.1068/a43257)
- Lawrence AB, Vigors B, Sandøe P. 2019 What Is so Positive about Positive Animal Welfare?—A Critical Review of the Literature. *Animals* **9**, 783. (doi:10.3390/ani9100783)
- Rault JL, Hintze S, Camerlink I, Yee JR. 2020 Positive Welfare and the Like: Distinct Views and a Proposed Framework. *Front. Vet. Sci.* **7**, 370. (doi:10.3389/fvets.2020.00370)
- Cuff BMP, Brown SJ, Taylor L, Howat DJ. 2016 Empathy: A Review of the Concept. *Emot. Rev.* **8**, 144–153. (doi:10.1177/1754073914558466)
- Jensen MB, Webb LE. 2022 COST Action CA21124. LIFT: Lifting farm animal lives—laying the foundations for positive animal welfare. European Cooperation in Science and Technology, 2022–2026. See <https://liftanimalwelfare.eu/>
- TallBear K. 2014 Standing with and speaking as faith: A feminist-Indigenous approach to inquiry. *J. Res. Pract.* **10**, N17. (doi:10.4324/9781315528854)
- Celermajer D, Ryan E, Franks B. *Animals in the Room*. See <https://animalsintheroom.org/> (accessed 19 September 2024).
- Seligman MEP. 2011 *Flourish: a visionary new understanding of happiness and well-being*. New York, NY: Free Press.
- VanderWeele TJ. 2017 On the promotion of human flourishing. *Proc. Natl Acad. Sci. USA* **114**, 8148–8156. (doi:10.1073/pnas.1702996114)

22. Keyes CLM. 2002 The Mental Health Continuum: From Languishing to Flourishing in Life. *J. Health Soc. Behav.* **43**, 207222. (doi:10.2307/3090197)
23. Huppert FA, So TTC. 2013 Flourishing Across Europe: Application of a New Conceptual Framework for Defining Well-Being. *Soc. Indic. Res.* **110**, 837–861. (doi:10.1007/s11205-011-9966-7)
24. Maslow AH. 1943 A theory of human motivation. *Psychol. Rev.* **50**, 370–396. (doi:10.1037/h0054346)
25. Webb LE, Veenhoven R, Harfeld JL, Jensen MB. 2019 What is animal happiness? *Ann. N. Y. Acad. Sci.* **1438**, 62–76. (doi:10.1111/nyas.13983)
26. Hintze S, Yee JR. 2023 Animals in flow—towards the scientific study of intrinsic reward in animals. *Biol. Rev.* **98**, 792–806. (doi:10.1111/brv.12930)
27. Mellor DJ. 2015 Positive animal welfare states and encouraging environment-focused and animal-to-animal interactive behaviours. *N. Z. Vet. J.* **63**, 9–16. (doi:10.1080/00480169.2014.926800)
28. Mendl M, Paul ES. 2020 Animal affect and decision-making. *Neurosci. Biobehav. Rev.* **112**, 144–163. (doi:10.1016/j.neubiorev.2020.01.025)
29. Paul ES, Mendl MT. 2018 Animal emotion: Descriptive and prescriptive definitions and their implications for a comparative perspective. *Appl. Anim. Behav. Sci.* **205**, 202–209. (doi:10.1016/j.applanim.2018.01.008)
30. Mogil JS. 2009 Animal models of pain: progress and challenges. *Nat. Rev. Neurosci.* **10**, 283–294. (doi:10.1038/nrn2606)
31. Gururajan A, Reif A, Cryan JF, Slattery DA. 2019 The future of rodent models in depression research. *Nat. Rev. Neurosci.* **20**, 686–701. (doi:10.1038/s41583-019-0221-6)
32. Panksepp J. 1998 *Affective neuroscience: the foundations of human and animal emotions*, pp. xii–xii. New York, NY: Oxford University Press.
33. Emery NJ, Clayton NS. 2015 Do birds have the capacity for fun? *Curr. Biol.* **25**, R16–20. (doi:10.1016/j.cub.2014.09.020)
34. Richardson M, McEwan K, Maratos F, Sheffield D. 2016 Joy and Calm: How an Evolutionary Functional Model of Affect Regulation Informs Positive Emotions in Nature. *Evol. Psychol. Sci.* **2**, 308–320. (doi:10.1007/s40806-016-0065-5)
35. McManus MD, Siegel JT, Nakamura J. 2019 The predictive power of low-arousal positive affect. *Motiv. Emot.* **43**, 130–144. (doi:10.1007/s11031-018-9719-x)
36. Nelson XJ, Taylor AH, Cartmill EA, Lyn H, Robinson LM, Janik V, Allen C. 2023 Joyful by nature: approaches to investigate the evolution and function of joy in non-human animals. *Biol. Rev. Camb. Philos. Soc.* **98**, 1548–1563. (doi:10.1111/brv.12965)
37. Mendl M, Burman OHP, Paul ES. 2010 An integrative and functional framework for the study of animal emotion and mood. *Proc. R. Soc. B* **277**, 2895–2904. (doi:10.1098/rspb.2010.0303)
38. Harding EJ, Paul ES, Mendl M. 2004 Cognitive bias and affective state. *Nature* **427**, 312. (doi:10.1038/427312a)
39. Bateson M, Desire S, Gartside SE, Wright GA. 2011 Agitated Honeybees Exhibit Pessimistic Cognitive Biases. *Curr. Biol.* **21**, 1070–1073. (doi:10.1016/j.cub.2011.05.017)
40. Lagisz M, Zidar J, Nakagawa S, Neville V, Sorato E, Paul ES, Bateson M, Mendl M, Løvlie H. 2020 Optimism, pessimism and judgement bias in animals: A systematic review and meta-analysis. *Neurosci. Biobehav. Rev.* **118**, 3–17. (doi:10.1016/j.neubiorev.2020.07.012)
41. Diener E, Sandvik E, Pavot W. 2009 Happiness is the frequency, not the intensity, of positive versus negative affect. In *Assessing well-being: the collected works of Ed Diener*, pp. 213–231. New York, NY: Springer Science + Business Media. (doi:10.1007/978-90-481-2354-4_10)
42. Alexander R et al. 2021 The neuroscience of positive emotions and affect: Implications for cultivating happiness and wellbeing. *Neurosci. Biobehav. Rev.* **121**, 220–249. (doi:10.1016/j.neubiorev.2020.12.002)
43. Dejonckheere E, Mestdagh M, Houben M, Rutten I, Sels L, Kuppens P, Tuerlinckx F. 2019 Complex affect dynamics add limited information to the prediction of psychological well-being. *Nat. Hum. Behav.* **3**, 478–491. (doi:10.1038/s41562-019-0555-0)
44. Špinka M. 2019 Animal agency, animal awareness and animal welfare. *Anim. Welf.* **28**, 11–20. (doi:10.7120/09627286.28.1.011)
45. Spinka M, Newberry RC, Bekoff M. 2001 Mammalian Play: Training for the Unexpected. *Q. Rev. Biol.* **76**, 141–168. (doi:10.1086/393866)
46. Puls F, Kosin L, Garbisch F, Touma C, Thöne-Reineke C, Gyagax L. 2024 Steps into a Small World: First glimpses on everyday moment-to-moment decision making in an ecologically meaningful multi-choice system for assessing animal preferences. *Ethology* **130**, e13468. (doi:10.1111/eth.13468)
47. Oliveira RF. 2009 Social behavior in context: Hormonal modulation of behavioral plasticity and social competence. *Integr. Comp. Biol.* **49**, 423–440. (doi:10.1093/icb/icp055)
48. Dantzer R, Cohen S, Russo SJ, Dinan TG. 2018 Resilience and immunity. *Brain Behav. Immun.* **74**, 28–42. (doi:10.1016/j.bbi.2018.08.010)
49. Wemelsfelder F. 1997 The scientific validity of subjective concepts in models of animal welfare. *Appl. Anim. Behav. Sci.* **53**, 75–88. (doi:10.1016/s0168-1591(96)01152-5)
50. Englund MD, Cronin KA. 2023 Choice, control, and animal welfare: definitions and essential inquiries to advance animal welfare science. *Front. Vet. Sci.* **10**, 1250251. (doi:10.3389/fvets.2023.1250251)
51. Franks B, Tory Higgins E. 2012 Chapter six - Effectiveness in Humans and Other Animals: A Common Basis for Well-being and Welfare. In *Advances in experimental social psychology* (eds JM Olson, MP Zanna), pp. 285–346. San Diego, CA: Academic Press.
52. Arndt SS, Goerlich VC, van der Staay FJ. 2022 A dynamic concept of animal welfare: The role of appetitive and adverse internal and external factors and the animal's ability to adapt to them. *Front. Anim. Sci.* **3**. (doi:10.3389/fanim.2022.908513)
53. Fredrickson BL. 2001 The role of positive emotions in positive psychology: The broaden-and-build theory of positive emotions. *Am. Psychol.* **56**, 218–226. (doi:10.1037//0003-066x.56.3.218)
54. Colditz IG. 2022 Competence to thrive: resilience as an indicator of positive health and positive welfare in animals. *Anim. Prod. Sci.* **62**, 1439–1458. (doi:10.1071/an22061)
55. Reed JM, Wolfe BE, Romero LM. 2024 Is resilience a unifying concept for the biological sciences? *iScience* **27**, 109478. (doi:10.1016/j.isci.2024.109478)
56. Friggens NC et al. 2022 Resilience: reference measures based on longer-term consequences are needed to unlock the potential of precision livestock farming technologies for quantifying this trait. *Peer Community J.* **2**. (doi:10.24072/pcjournal.136)
57. Fredrickson BL, Joiner T. 2018 Reflections on Positive Emotions and Upward Spirals. *Perspect. Psychol. Sci.* **13**, 194–199. (doi:10.1177/1745691617692106)
58. Wolfer DP, Litvin O, Morf S, Nitsch RM, Lipp HP, Würbel H. 2004 Cage enrichment and mouse behaviour. *Nature* **432**, 821–822. (doi:10.1038/432821a)
59. Honess PE, Marin CM. 2006 Enrichment and aggression in primates. *Neurosci. Biobehav. Rev.* **30**, 413–436. (doi:10.1016/j.neubiorev.2005.05.002)
60. Lay DC et al. 2011 Hen welfare in different housing systems 1. *Poult. Sci.* **90**, 278–294. (doi:10.3382/ps.2010-00962)
61. Burghardt GM. 2005 *The genesis of animal play: testing the limits*. Cambridge, MA: The MIT Press.
62. D'Eath R, Conington J, Lawrence A, Olsson I, Sandøe P. 2010 Breeding for behavioural change in farm animals: practical, economic and ethical considerations. *Anim. Welf.* **19**, 17–27. (doi:10.1017/s0962728600002207)
63. Sandøe P, Hocking PM, Föörkman B, Haldane K, Kristensen HH, Palmer C. 2014 The Blind Hens' Challenge: Does It Undermine the View That Only Welfare Matters in Our Dealings with Animals? *Environ. Values* **23**, 727–742. (doi:10.3197/096327114x13947900181950)
64. Doyle RE, Fisher AD, Hinch GN, Boissy A, Lee C. 2010 Release from restraint generates a positive judgement bias in sheep. *Appl. Anim. Behav. Sci.* **122**, 28–34. (doi:10.1016/j.applanim.2009.11.003)
65. Nguyen D, Naffziger EE, Berridge KC. 2021 Positive affect: nature and brain bases of liking and wanting. *Curr. Opin. Behav. Sci.* **39**, 72–78. (doi:10.1016/j.cobeha.2021.02.013)

66. Gygas L. 2017 Wanting, liking and welfare: The role of affective states in proximate control of behaviour in vertebrates. *Ethology* **123**, 689–704. (doi:10.1111/eth.12655)
67. Dawkins MS. 2021 *The science of animal welfare: understanding what animals want*. Oxford, UK: Oxford University Press.
68. Mellor DJ. 2015 Enhancing animal welfare by creating opportunities for positive affective engagement. *N. Z. Vet. J.* **63**, 3–8. (doi:10.1080/00480169.2014.926799)
69. Nicol CJ, Caplen G, Edgar J, Browne WJ. 2009 Associations between welfare indicators and environmental choice in laying hens. *Anim. Behav.* **78**, 413–424. (doi:10.1016/j.anbehav.2009.05.016)
70. Holt RV, Skånberg L, Keeling LJ, Estevez I, Newberry RC. 2024 Resource choice during ontogeny enhances both the short- and longer-term welfare of laying hen pullets. *Sci. Rep.* **14**, 3360. (doi:10.1038/s41598-024-53039-7)
71. Nagel T. 2024 What Is It Like to Be a Bat? *Philos. Rev.* **83**, 435–450. (doi:10.1093/oso/9780197752791.003.0001)
72. Yong E. 2023 *An immense world: how animal senses reveal the hidden realms around us*. London, UK: Random House.
73. Turcsán B, Kubinyi E, Miklósi Á. 2011 Trainability and boldness traits differ between dog breed clusters based on conventional breed categories and genetic relatedness. *Appl. Anim. Behav. Sci.* **132**, 61–70. (doi:10.1016/j.applanim.2011.03.006)
74. Lukas M, Wöhr M. 2015 Endogenous vasopressin, innate anxiety, and the emission of pro-social 50-kHz ultrasonic vocalizations during social play behavior in juvenile rats. *Psychoneuroendocrinology* **56**, 35–44. (doi:10.1016/j.psyneuen.2015.03.005)
75. Nettle D, Bateson M. 2015 Adaptive developmental plasticity: what is it, how can we recognize it and when can it evolve? *Proc. R. Soc. B* **282**, 20151005. (doi:10.1098/rspb.2015.1005)
76. Morley-Fletcher S, Rea M, Maccari S, Laviola G. 2003 Environmental enrichment during adolescence reverses the effects of prenatal stress on play behaviour and HPA axis reactivity in rats. *Eur. J. Neurosci.* **18**, 3367–3374. (doi:10.1111/j.1460-9568.2003.03070.x)
77. Coulon M, Nowak R, Andanson S, Petit B, Lévy F, Boissy A. 2015 Effects of prenatal stress and emotional reactivity of the mother on emotional and cognitive abilities in lambs. *Dev. Psychobiol.* **57**, 626–636. (doi:10.1002/dev.21320)
78. Novick AM, Levandowski ML, Laumann LE, Philip NS, Price LH, Tyrka AR. 2018 The effects of early life stress on reward processing. *J. Psychiatr. Res.* **101**, 80–103. (doi:10.1016/j.jpsychires.2018.02.002)
79. Kundakovic M, Champagne FA. 2015 Early-Life Experience, Epigenetics, and the Developing Brain. *Neuropsychopharmacology* **40**, 141–153. (doi:10.1038/npp.2014.140)
80. Dawkins M. 1976 Towards an objective method of assessing welfare in domestic fowl. *Appl. Anim. Ethol.* **2**, 245–254. (doi:10.1016/0304-3762(76)90056-0)
81. Petherick JC, Duncan IJH, Waddington D. 1990 Previous experience with different floors influences choice of peat in a Y-maze by domestic fowl. *Appl. Anim. Behav. Sci.* **27**, 177–182. (doi:10.1016/0168-1591(90)90017-8)
82. Charlton GL, Rutter SM. 2017 The behaviour of housed dairy cattle with and without pasture access: A review. *Appl. Anim. Behav. Sci.* **192**, 2–9. (doi:10.1016/j.applanim.2017.05.015)
83. Anisman H, Matheson K. 2005 Stress, depression, and anhedonia: Caveats concerning animal models. *Neurosci. Biobehav. Rev.* **29**, 525–546. (doi:10.1016/j.neubiorev.2005.03.007)
84. Van der Harst JE, Spruijt BM. 2007 Tools to measure and improve animal welfare: reward-related behaviour. *Anim. Welf.* **16**, 67–73. (doi:10.1017/s0962728600031742)
85. Burn CC. 2017 Bestial boredom: a biological perspective on animal boredom and suggestions for its scientific investigation. *Anim. Behav.* **130**, 141–151. (doi:10.1016/j.anbehav.2017.06.006)
86. MacLellan A, Fureix C, Polanco A, Mason G. 2021 Can animals develop depression? An overview and assessment of 'depression-like' states. *Behaviour* **158**, 1303–1353. (doi:10.1163/1568539x-bja10132)
87. Widowski TMDuncanIJH2000 Working for a dustbath: are hens increasing pleasure rather than reducing suffering? *Appl. Anim. Behav. Sci.* **68**, 39–53. (doi:10.1016/s0168-1591(00)00088-5)
88. Achterberg EJM, Burke CJ, Pellis SM. 2023 When the individual comes into play: The role of self and the partner in the dyadic play fighting of rats. *Behav. Process.* **212**, 104933. (doi:10.1016/j.beproc.2023.104933)
89. EFSA-European Food Safety Authority. 2012 Statement on the use of animal-based measures to assess the welfare of animals. *EFSA J.* **10**, 2767. (doi:10.2903/j.efsa.2012.2767)
90. Keeling LJ, Winckler C, Hintze S, Forkman B. 2021 Towards a Positive Welfare Protocol for Cattle: A Critical Review of Indicators and Suggestion of How We Might Proceed. *Front. Anim. Sci.* **2**. (doi:10.3389/fanim.2021.753080)
91. Lawrence AB, Newberry RC, Špinka M. 2024 Positive welfare: What does it add to the debate over pig welfare? In *Advances in pig welfare* (eds I Camerlink, EM Baxter), pp. 83–112, 2nd edn. Cambridge, UK: Woodhead Publishing. (doi:10.1016/b978-0-323-85676-8.00009-2)
92. McMillan FD. 2000 Quality of life in animals. *J. Am. Vet. Med. Assoc.* **216**, 1904–1910. (doi:10.2460/javma.2000.216.1904)
93. FAWC-Farm Animal Welfare Council. 2009 Animal Welfare in Great Britain: Past, Present and Future. London, UK: FAWC
94. Aydede M. 2019 Does the IASP definition of pain need updating? *Pain Rep.* **4**, e777. (doi:10.1097/PR9.0000000000000777)
95. Burghardt GM. 2011 Defining and Recognizing Play. In *The Oxford handbook of the development of play* (eds P Nathan, AD Pellegrini), pp. 9–18. Oxford, UK: Oxford University Press.
96. Zonderland JJ, Wolthuis-Fillerup M, van Reenen CG, Bracke MBM, Kemp B, Hartog L den, Spoolder HAM. 2008 Prevention and treatment of tail biting in weaned piglets. *Appl. Anim. Behav. Sci.* **110**, 269–281. (doi:10.1016/j.applanim.2007.04.005)
97. Jensen MB, Herskin MS, Forkman B, Pedersen LJ. 2015 Effect of increasing amounts of straw on pigs' explorative behaviour. *Appl. Anim. Behav. Sci.* **171**, 58–63. (doi:10.1016/j.applanim.2015.08.035)
98. Nielsen SS, Alvarez J, BicotDJ, CalistriP, Canali E, Drewe JA, Garin-Bastuji B, Gonzales Rojas J. 2023 Welfare of calves. *EFSA J. Eur. Food Saf. Auth.* **21**, e07896. (doi:10.2903/j.efsa.2023.7896)
99. Fredrickson BL. 2013 Updated thinking on positivity ratios. *Am. Psychol.* **68**, 814–822. (doi:10.1037/a0033584)
100. Hone LC, Jarden A, Schofield GM, Duncan S. 2014 Measuring flourishing: The impact of operational definitions on the prevalence of high levels of wellbeing. *Int. J. Wellbeing* **4**, 62–90. (doi:10.5502/ijw.v4i1.4)
101. Grinde B. 2023 Consciousness: A Strategy for Behavioral Decisions. *Encyclopedia* **3**, 60–76. (doi:10.3390/encyclopedia3010005)
102. Veit W. 2023 A Darwinian Philosophy for the Science of Consciousness. In *A philosophy for the science of animal consciousness*, pp. 1–23. New York, NY: Routledge. (doi:10.4324/9781003321729-1)
103. Browning H, Veit W. 2023 Studying Animal Feelings: Integrating Sentience Research and Welfare Science. *J. Conscious. Stud.* **30**, 196–222. (doi:10.53765/20512201.30.7.196)
104. Mendl M, Neville V, Paul ES. 2022 Bridging the Gap: Human Emotions and Animal Emotions. *Affect. Sci.* **3**, 703–712. (doi:10.1007/s42761-022-00125-6)
105. Le Neindre P et al. 2017 Animal Consciousness. *EFSA Suppl. Publ.* **14**, 1196. (doi:10.2903/sp.efsa.2017.en-1196)
106. de Waal FBM, Andrews K. 2022 The question of animal emotions. *Science* **375**, 1351–1352. (doi:10.1126/science.abo2378)

107. Andrews K, Birch J, Sebo J, Sims T. 2024 The New York Declaration on Animal Consciousness. Background. See <https://sites.google.com/nyu.edu/nydeclaration/background?authuser=0>.
108. LeDoux JE. 2021 What emotions might be like in other animals. *Curr. Biol.* **31**, R824–R829. (doi:10.1016/j.cub.2021.05.005)
109. Key B, Zalucki O, Brown DJ. 2022 A First Principles Approach to Subjective Experience. *Front. Syst. Neurosci.* **16**, 756224. (doi:10.3389/fnsys.2022.756224)
110. Berridge K, Winkelman P. 2003 What is an unconscious emotion? (The case for unconscious 'liking'). *Cogn. Emot.* **17**, 181–211. (doi:10.1080/02699930302289)
111. Birch J. 2017 Animal sentience and the precautionary principle. *Anim. Sentience* **2**. (doi:10.51291/2377-7478.1200)
112. WOA—World Organization for Animal Health. 2019 Chapter 7.1. Introduction to the recommendations for animal welfare. In *Terrestrial animal health code*. See https://www.woah.org/fileadmin/Home/eng/Health_standards/tahc/2023/chapitre_aw_introduction.pdf.